









Crystal-Clear Image



Al Camera & 8 Mics



Wireless Conferencing



Mobility



Compatibility


Unleash Mobility and Collaboration

Experience the ultimate mobility and flexibility with the Innex CM series 55" interactive display, designed to revolutionize your collaboration. With comprehensive BYOM support, effortlessly initiate video conferences and connect with teams in seconds. Enjoy seamless wireless access to essential features, including the camera, microphone, speaker, and touchback control.

Easily relocate the display within various rooms, instantly converting any corner into a dynamic and collaborative meeting area. Boost productivity, encourage innovation, and unleash the full potential of your meetings with unparalleled flexibility and convenience.



P-CAP touch for clear image and precise touch







Sleek and Detailed Design

Integrated AI Camera and Premium Sound Quality

- Wide-angle camera featuring AI video modes including smart gallery, speaker tracking, auto-framing, and more.
- Premium built-in microphone array and powerful speaker for full-room coverage.

Gallery





Complete Control in Your Hand

With a thoughtfully designed remote control, placing complete control in your hand. You can easily manage not only the panel settings but also access advanced camera AI modes, adjust camera viewing angles, and other settings to tailor your experience precisely to your preferences.



Anywhere, anytime

Enhance your mobility with our lightweight and easy-to-move stand, allowing you to set up your workspace wherever you need it. Moreover, our solution offers versatile features, including a whiteboard, screen sharing, and integrated UC software, enabling seamless collaboration with your team in various settings and scenarios.



Whiteboard

The CM series whiteboard software offers extensive features and seamlessly integrates multiple input sources and cameras for a flexible and smooth team collaboration experience.









Security

With enterprise-grade security as its foundation, the CM series includes administrator accounts for simplified and secure management, along with essential security features like touch lock and sound-only options.











Wireless Conferencing with **Camera Streaming**



Bring your own meeting and enjoy clutter-free conferencing.

- · Effortlessly screen cast via Connect Pro Button, Airplay, Miracast, and Chromecast.
- ·Wirelessly access the built-in camera directly from your laptop with high clarity.





zoom Microsoft Teams Google Meet Skype







Plug and play Connect Pro Button




Airplay / Miracast / Chromecast



Touchback Control



Multi-Screen Sharing



Ignite Ideas

Effortlessly draw, annotate, and interact with any content during your meetings, discussions, and brainstorming sessions. Utilizing best-in-class in-cell touch technology for enhanced touch accuracy, sharper visuals, and a lightweight display design. Bringing your ideas to life and fostering dynamic collaboration.



Specifications

١	Model	CM Series
		Display
Display D	Dimension	55"
Brightnes		350 Typ.
Color		72% NTSC
Contrast		1000:1
Back-Light		E-lit LED
Resolution		Ultra HD 3840 x 2160
Aspect Ra	atio	16:9
Response Time		8 ms Typ.
Viewing Angle		178°
Color Depth		1.07B Colors
Panel Frequency		60Hz
Low Blue Light		Yes
		Touch
Touch Te	echnology	P-CAP Touch
Touch Sensor		2H Film
Bonding Type		Optical Bonding
Pen		Support MPP Pen(1.5/2.0)
Accuracy		Pen ±1 mm; Finger ±1.5 mm
Touch Points		40 Points
		Speaker, Camera and Microphone
Speaker Output		10W x 2
Built-in Camera		8MP Sony IMX-415 sensor with FOV 120°
Camera Function		Support Remote Control; Support Auto-Framing, Gallery, Speaker Tracking, Manual Mode
Microphone		8-Mic Array with Auto Gain Control/ ANR/ AEC
		Embedded Operating System
CPU		Quad Core, A55*4, 1.9Ghz
GPU		Mali G52MP2
NPU		2.6 TOPS
RAM		8GB
ROM		64GB
Wi-Fi		Wi-Fi 6
		I/O Ports
Front II	R Receiver	1
Р	ower Button	1
R	Reset	1
H	HDMI In	2
L	JSB-A 3.0	1 (Embedded system)
L	JSB-A 2.0	2 (Embedded system)
Rear L	JSB-C	1 (OTG / Connect Pro pairing)
L	JSB B for Touch	1
L	ine Out	1
R	RJ 45 In	1
C	OPS Slot	1
Д	AC In	1
		Wireless Conferencing System
Device		Embedded Screen share SW
Protocol		Connect Pro Button (BYOM), Airplay, Miracast, Chromecast



 Γ