


innex Connect Pro+

Seamless. Effortless. Wireless.
Simplify the Way You Present.



4K Screen Sharing



FHD Camera Streaming



Plug-and-Play



Touchback Control



Multi-Device Sharing



Multi-Screen Sharing



Data Security

One Hub. Any Display.

Upgrade any screen into a powerful meeting hub with integrated camera access, touchback control, and universal wireless sharing.



Boost ROI

High-impact, cost-effective upgrades for your existing displays and peripherals.



Zero-Friction Setup

Fast, scalable deployment with no complex IT onboarding.



Clean Aesthetics

Compact design and minimal wiring eliminate cable clutter.



Data Privacy

Keeps sensitive information secure by storing data locally on the presenter's PC.



Funtech innovation

Contact

 funtechinnovation.com

 info@funtechinnovation.com

Follow us



Elevate Your Existing Displays

Turn your monitors or TVs into a wireless conferencing meeting solution simply by connecting the Innex Connect Pro+ via HDMI and USB.



Instant 4K Wireless Casting

Effortlessly share your screen in stunning 4K clarity, including video, content, and presentations, all with lag-free connections.




1080P Wireless Camera Streaming

Join meetings from your own laptop and wirelessly access the front camera via the Connect Pro Software.



Dynamic Multi-Sharing



Connect an unlimited number of devices at once. View up to 9 devices simultaneously in split screen from laptops, tablets, and smartphones.



Intuitive Touchback Control

Control your device from the display. Annotations and on-screen operations sync back to your laptop in real-time.

Universal Wireless Casting



Innex Connect Pro Software: BYOM Ready


The Connect Pro Software integrates wireless casting, audio, touch, and BYOM. Its Mirror-back feature allows users to view and control the main display from their own laptops, ensuring a synchronized experience for large-scale deployments.



Optional Accessory

Innex Connect Pro Button: Plug-and-Play

Enables a truly plug-and-play setup, allowing you to share your screen with just one click. The built-in power pass-through allows you to cast and charge your laptop simultaneously—just connect your power adapter to the button.



The Ultimate Wireless Conferencing Solution



The Innex Connect Pro+ transforms any monitor or touchscreen into a wireless conferencing hub using simple HDMI and USB connections. Enjoy seamless device sharing, camera streaming, touchback control, and peripheral access.

Peripheral Device Support



Cross-Platform Connection

The Innex Connect Pro+ offers universal, cross-platform connectivity, eliminating the need for complex wired setups. Seamlessly share content from any device—laptop, tablet, or smartphone—with ultra-low latency and crystal-clear resolution.



innex Connect Pro+ **SPECS**

Model		Connect Pro+
Transmission Distance		10 m / 33 ft
Screen Share Options		Connect Pro Software, AirPlay, Miracast, Chromecast, Connect Pro Button
Screen Share Resolution	Connect Pro Button	3840x2160 @30 Hz; 1920x1080 @60 Hz
	AirPlay	Up to 1920x1080 @60 Hz (Depends on network conditions)
	Miracast	1920x1080 @30 Hz
	Chromecast	Up to 1920x1080 @30 Hz (Depends on network conditions)
	Connect Pro Software	Up to 3840x2160 @30 Hz (Depends on network conditions)
BYOM Camera Resolution	Connect Pro Software	Up to 1920x1080 (Depends on network conditions)
System Requirements	Connect Pro Button	Windows 11 or later (Intel Core), MacOS – latest version recommended
	AirPlay	iOS / MacOS – latest version recommended
	Chromecast	Google Cast compatible; Chromecast built-in compatible Supported OS / Apps: Android 7.0 or later, iOS 14.0 or later, Windows 10 or later, MacOS 11 or later, latest version ChromeOS, latest version of Chrome browser
	Miracast	Windows 11 or later (with Miracast-capable GPU and drivers), Android 4.2 or later (device dependent)
	Connect Pro Software	Windows 11 or later CPU: Intel Core i5 or higher
Network	Network Latency Requirement	< 10 ms
	Security	Supports WPA2-PSK authentication and 128-bit AES encryption
Receiver	Wi-Fi	2.4 GHz / 5 GHz, IEEE 802.11 a / b / g / n / ac
	I/O Ports	USB-A 2.0 x3 USB-C (for pairing only) x1 HDMI Out x1 DC In x1
	Power	12 V 1.5 A
	Switch	Power on / off switch
	Operating & Storage Environment	Storage Temperature
	Operation Temperature	0 °C (32 °F) - 40 °C (104 °F)
	Storage Humidity	≤80%
	Operation Humidity	≤80%
Physical Spec	Dimension	160 x 50 x 21.5 mm / 6.3 x 2 x 0.9 in
	Weight	125 g / 4.4 oz
Package Contents		Connect Pro+ Receiver, 3 m / 9.8 ft Power adapter with multi-country plug set, Wall mount kit, 1.5 m / 4.9 ft HDMI cable, Cable organizer x2, Quick start guide, Warranty card, Safety document