



innex CD Plus Series

Superior Performance, Unmatched Versatility.



4K UHD



1000 Nits



Sunlight
Readable



Nonstop
Productivity



Content
Management
Software



Multi Size



Slim Bezel



Portrait /
Landscape



Funtech innovation

Contact

 [funtechinnovation.com](https://www.funtechinnovation.com)

 info@funtechinnovation.com

Follow us





Extraordinary Viewing Experience



High Brightness up to 1000 Nits

1000 nits of peak brightness ensures your visuals remain sharp and vibrant—even in bright retail spaces and sunlit lobbies.



25% Haze Anti-reflection

With 25% haze anti-reflection, glare is reduced and clarity is preserved—even under bright lights or sunlight.



Durability for High-demand Use

Built for 24/7 operation, delivering the commercial-grade durability required for high-demand business environments.




Ultra Narrow Bezel Video Walls

The Innex CD Plus Series features ultra-thin bezels for seamless multi-display tiling. This near-continuous video wall maximizes visual impact, keeping your content the absolute focus.

Available in Multiple Sizes

The CD Plus Series is designed to offer flexibility and versatility across a range of environments by providing multiple size options: 43", 55", 65", 75", and 86" displays.



Easy & Secure Content Delivery



Content Management Software


The Digital Signage Software makes content management easy and secure. With user-friendly configuration options, you can quickly set up a secure cloud server for sharing and controlling digital signage content. Authorized users can access displays remotely, ensuring that content updates are efficient and safe, no matter where you are.

Built to Keep Business Moving



Connect More. Switch Instantly.

The CD Plus Series includes three HDMI ports and one USB-C port for simultaneous connections to a signage player, PC, and wireless conference system. It effectively manages data transfer, power delivery, and high-resolution video and audio, easily switching between ad displays and meeting monitors for dynamic workspaces.



Immersive Built-in Audio

The CD Plus Series features dual 10W speakers for high-quality audio, eliminating the need for extra soundbars or cables—perfect for showrooms and boardrooms.



innex CD Plus Series **SPECS**

Model		CD Plus 43	CD Plus 55	CD Plus 65	CD Plus 75	CD Plus 86
Display	Display Dimension	43"	55"	65"	75"	86"
	Brightness	1000 nits ±10% Typ.				
	Dynamic Contrast	5000:1				
	Anti-Glare	25% Haze				
	Back-Light	DLED				
	Resolution	3840 x 2160 (pixels, RGB)				
	Aspect Ratio	16:9				
	Response Time	8 ms	8 ms	6.5 ms	8.5 ms	8 ms
	Viewing Angle	178°				
	Display Color	1.07B (10 bit)				
	Panel Frequency	60 Hz				
	Life Time	50,000 Hrs (min.)				
I/O Ports	DC in x1					
	Audio out + Mic in x1					
	USB-C x1 (Support DP Alt Mode)					
	USB-A 3.0 x2					
	HDMI in x3 (HDMI 2.1, 4K@60 Hz)					
	RJ45 (10M / 100M / 1000M)					
	USB-A 2.0 x1 (for Wi-Fi Dongle)					
Power	Rated Power Consumption	Maximum ≤ 150 W	Maximum ≤ 180 W	Maximum ≤ 220 W	Maximum ≤ 280 W	Maximum ≤ 380 W
	Power Input	100 V - 240 V AC				
	Standby Power Consumption	≤ 0.5 W				
	Speaker Output	10 W x2				
Operating & Storage Environment	Operating Temperature	0 °C - 45 °C / 32 °F - 113 °F				
	Storage Temperature	-10 °C - 55 °C / 14 °F - 131 °F				
	Operation Humidity	20% - 80% RH				
	Storage Humidity	20% - 90% RH				
Embedded Operating System	Operating System	Android 14				
	RAM / ROM	4 GB / 32 GB				
	CPU	Cortex - A73 x4				
	GPU	Mali G52				
	UI Resolution	4K				
	USB Type Wi-Fi Module	Wi-Fi 6E ; IEEE802.11 b / g / n, IEEE802.11 a / n / ac / ax				
Physical Spec	Panel Dimension	960 x 550 x 65 mm	1230 x 700 x 65 mm	1450 x 825 x 65 mm	1670 x 950 x 65 mm	1920 x 1090 x 65 mm
		37.8 x 21.7 x 2.6 in	48.4 x 27.6 x 2.6 in	57.1 x 32.5 x 2.6 in	65.8 x 37.4 x 2.6 in	75.6 x 42.9 x 2.6 in
	Package Dimension	1020 x 630 x 140 mm	1290 x 780 x 150 mm	1545 x 930 x 165 mm	1740 x 1040 x 145 mm	2080 x 1295 x 195 mm
		40.2 x 24.8 x 5.5 in	50.8 x 30.7 x 5.9 in	60.8 x 36.6 x 6.5 in	68.4 x 40.9 x 5.7 in	82 x 51 x 7.7 in
	Net Weight	9.75 kg / 21.5 lb	15.2 kg / 33.5 lb	22 kg / 48.5 lb	28.5 kg / 62.8 lb	38.5 kg / 84.9 lb
	Packed Weight	14.5 kg / 32 lb	19.2 kg / 42.3 lb	27 kg / 59.5 lb	39 kg / 86 lb	53.5 kg / 118 lb
	VESA Mount Point	400 x 400 mm	400 x 400 mm	400 x 400 mm	600 x 400 mm	800 x 600 mm
15.7 x 15.7 in		15.7 x 15.7 in	15.7 x 15.7 in	23.6 x 15.7 in	31.5 x 23.6 in	
Compliance & Certification	Regulatory Certification	CE				
Accessories		1.5 m / 4.92 ft HDMI cable x1, 3 m / 9.84 ft EU Power cable x1, 3 m / 9.84 ft UK Power cable x1, Remote control x1, Wi-Fi dongle x1, Wall bracket x1, Quick start guide, Warranty card, Safety documents				